

## Hardware Accessories

### Mini Coax Support Blocks



*Neatly stack coax into space saving bundles. Lower material cost by reducing hardware requirements.*

Application: Coax Support  
 Size: 1/2" to 1-1/4" coax  
 Design: Two-run block hangers  
 Feature: Compact coax bundles  
 Mounts to: 3/8" or 10mm threaded rod  
 Material: Long glass polypropylene  
 Includes: Blocks only  
 Order Sep.: 3/8" or 10mm mounting hardware kits

	TMS part no.	Quant/pkg.	Weight lb (kg)
Mini coax support block for LMR-600	CB-600T	10	1.2 (0.5)
Mini coax support block for LMR-900	CB-900T	10	1.2 (0.5)
Mini coax support block for LMR-1200	CB-1200T	10	1.2 (0.5)
Mini coax support block for LMR-1700 coax	CB-1700T	10	1.7 (0.8)

### Mounting Hardware Kits for Coax Support Blocks and Hanger Clamps



*Pre-cut galvanized threaded rod hardware kits for stacking and installing mini coax support blocks.*

Application: Coax Support  
 Size: 3/8"  
 Design: 1, 2, and 3-stack threaded rod kits  
 Feature: Stacks coax blocks  
 Mounts to: —  
 Material: Galv. (3/8") or stainless steel (10mm)  
 Includes: Threaded rod and hardware  
 Order Sep.: Additional accessories

	TMS part no.	Quant/pkg.	Weight lb (kg)
Hardware kit for LMR-600, 900, 1200 support blocks	HK-SSCB	10	1.8 (0.8)
Hardware kit for LMR-1700 support blocks	HK-SSCB-158	10	1.9 (0.9)
Hardware kit for mounting (2) mini coax support blocks for LMR-600, 900, 1200	HK-DSCB	10	2.3 (1.0)
Hardware kit for mounting (2) mini coax support blocks for LMR-1700	HK-DSCB-158	10	2.5 (1.1)
Hardware kit for mounting (3) mini coax support blocks for LMR-600, 900, 1200	HK-TSCB	10	2.8 (1.3)
Hardware kit for mounting (3) mini coax support blocks for LMR-1700	HK-TSCB-158	10	3.2 (1.5)

### Adapter Bracket



*Support coax blocks in wall mount applications.*

Application: Coax Support  
 Size: 7/16" (11.1mm) holes  
 Design: Adapts hangers to flat surfaces  
 Feature: Compact design  
 Mounts to: —  
 Material: Stainless steel  
 Includes: Bracket  
 Order Sep.: Additional accessories

	TMS part no.	Quant/pkg.	Weight lb (kg)
Adaptor bracket	AB-CB	10	4.6 (2.1)

### Stainless Steel Adapter Bracket



*Adapt angled members for securing coax cables. Unique design easily converts to accommodate snap-in hangers.*

Application: Coax Support  
 Size: 7/16" (11.1mm) holes  
 Design: Adapts hangers to flat surfaces  
 Feature: Fits any bolt-on hanger style  
 Mounts to: —  
 Material: Hot dip galv. steel,  
 Includes: Bracket  
 Order Sep.: Additional accessories

	TMS part no.	Quant/pkg.	Weight lb (kg)
Universal SST angle adapter	AB-CBH	1	2.3 (1.0)

**Butterfly Hangers**


*Butterfly hangers for standard non-snap-in installations.*

Application: Coax Support  
 Size: see chart  
 Design: Bolt-on single run hanger  
 Feature: Traditional hanger solution  
 Mounts to: 7/16" (11.1mm) prepunched hole  
 Material: Stainless steel  
 Includes: Hangers and set bolts  
 Order Sep.: Hanger hardware kits & additional accessories  
**Note:** Hanger hardware kit not included; order separately


	TMS part no.	Quant/pkg.	Weight lb (kg)
Butterfly hanger for LMR-400	BH-S38 NH	10	1.0 (0.5)
Butterfly hanger for LMR-600	BH-12 NH	10	1.0 (0.5)
Butterfly hanger for LMR-900	BH-58 NH	10	1.1 (0.5)
Butterfly hanger for LMR-1200	BH-78 NH	10	1.1 (0.5)
Butterfly hanger for LMR-1700	BH-114 NH	10	1.4 (0.6)

**Standard Hangers**


*Standard hanger for reduced installation time*

App.: Coax Support  
 Size: See chart  
 Design: Pre-formed bolt-on single run hanger  
 Feature: Reduced installation time  
 Mounts to: 7/16" (11.1mm) prepunched hole  
 Material: Stainless steel  
 Includes: Hangers and set bolts  
 Order Sep.: Hanger hardware kits & additional accessories  
**Note:** Hanger hardware kit not included; order separately

	TMS part no.	Quant/pkg.	Weight lb (kg)
Standard hanger for LMR-400	BH-S38 NH	10	0.8 (0.4)
Standard hanger for LMR-600	BH-S12 NH	10	0.8 (0.4)
Standard hanger for LMR-1200	BH-S78 NH	10	1.8 (0.8)
Standard hanger for LMR-1700	BH-S114 NH	10	1.1 (0.5)

**Clip Hangers**


*Easy install solution*

Application: Coax Support  
 Size: See chart  
 Design: Clip-on single run hanger  
 Feature: Easy-to-install solution  
 Mounts to: 7/16" (11.1mm) prepunched hole  
 Material: Stainless steel  
 Includes: Hangers and set bolts  
 Order Sep.: Hanger hardware kits and additional accessories  
**Note:** Hanger hardware kit not included; order separately

	TMS part no.	Quant/pkg.	Weight lb (kg)
Clip hanger kit for LMR-600	CH-12 NH	10	0.8 (0.4)
Clip hanger kit for LMR-1200	CH-78 NH	10	0.8 (0.4)
Clip hanger kit for LMR-1700	CH-114 NH	10	1.1 (0.5)

**Universal Snap-in Hangers**


*Snap-in hangers simplify coax installation by eliminating the need for mounting hardware and installation tools.*

Application: Coax Support  
 Size: See chart  
 Design: One-piece hanger solution  
 Feature: Simplifies coax installation  
 Mounts to: 3/4" (19.1mm) holes  
 Material: Stainless steel  
 Includes: Hangers  
 Order Sep.: Additional mounting accessories

	TMS part no.	Quant/pkg.	Weight lb (kg)
Universal snap-in hanger for LMR-600	SH-U600T	10	0.7 (0.3)
Universal snap-in hanger for LMR-900	SH-U900T	10	1.0 (0.5)
Universal snap-in hanger for LMR-1200	SH-U1200T	10	1.2 (0.5)
Universal snap-in hanger for LMR-1700	SH-U1700T	10	1.3 (0.6)

### Snap-In Stand-Off Adapters



<p><i>Adapt and stand coax off 2" from round members to avoid obstructions such as tower leg flanges and cross members</i></p>	<p>Application: Coax Support                  Size: 3/4" (19.1mm) hole                  Design: Adapts hangers to round members                  Feature: Accepts snap-ins                  Mounts to: Versions for 1" to 6" (25.4mm to 152.4mm) OD                  Material: Stainless steel                  Includes: Stand-offs, avail. with or without hose clamps                  Order Sep.: Snap-ins</p>	<b>TMS part no.</b>	<b>Quant/pkg.</b>	<b>Weight lb (kg)</b>
	Snap-In Stand-Off Adapter *	SA-SS	10	2.9 (1.3)
	Snap-In Stand-Off Adapter for 1-2" (25.4mm-50.8mm) OD members**	SA-SS100	10	3.8 (1.7)
	Snap-In Stand-Off Adapter for 2-3" (50.8mm-76.2mm) OD members**	SA-SS200	10	3.9 (1.8)
	Snap-In Stand-Off Adapter for 3-4" (76.2mm-101.6mm) OD members**	SA-SS300	10	4.0 (1.8)
	Snap-In Stand-Off Adapter for 4-5" (101.6mm-127.0mm) OD members**	SA-SS400	10	4.1 (1.9)
	Snap-In Stand-Off Adapter for 5-6" (127.0mm-152.4mm) OD members**	SA-SS500	10	4.1 (1.9)
* Round member adapters must be purchased separately **Round member adapter included				

### Mini Cluster Support Bracket



<p><i>Mini Cluster bracket provides compact mounting support for a variety of different hanger types</i></p>	<p>Application: Coax Support                  Size: 3/4" (19.1mm) and 7/16" (11.1mm) holes                  Design: Three-run cluster bracket                  Feature: Compact mounting solution                  Mounts to: —                  Material: Hot dip galv. steel                  Includes: Bracket                  Order Sep.: Hangers, mounting hardware</p>	<b>TMS part no.</b>	<b>Quant/pkg.</b>	<b>Weight lb (kg)</b>
	Mini Cluster Support Bracket	CS-BS	10	4.4 (2.0)

### Round Member Adapters



<p><i>Adapt round members when securing most hanger styles.</i></p>	<p>Application: Coax Support                  Size: 3/4" (19.1mm) and 7/16" (11.1mm) holes                  Design: Three-run cluster bracket                  Feature: Compact mounting solution                  Mounts to: —                  Material: Hot dip galvanized steel                  Includes: Bracket                  Order Sep.: Hangers, mounting hardware</p>	<b>TMS part no.</b>	<b>Quant/pkg.</b>	<b>Weight lb (kg)</b>
	Round member adapter, 1"-2" OD	RMA-100	10	0.8 (0.4)
	Round member adapter, 2"-3" OD	RMA-200	10	1.0 (0.5)
	Round member adapter, 3"-4" OD	RMA-300	10	1.2 (0.5)
	Round member adapter, 4"-5" OD	RMA-400	10	1.3 (0.6)
	Round member adapter, 5"-6" OD	RMA-500	10	1.3 (0.6)
	Round member adapter, 6"-8" OD	RMA-600	10	1.3 (0.6)

## Hardware Accessories

### Hanger Hardware Kits



<p><i>Standard, clip and butterfly for flange attachment.</i></p>	<p>Application: Coax Support                  Size: 3/8" or 10mm                  Design: Hardware kit for hanger attachment to member                  Feature: —                  Mounts to: —                  Material: Stainless steel                  Includes: Bolts, nuts, lockwashers                  Order Sep.: Hangers</p>			
		<b>TMS part no.</b>	<b>Quant/pkg.</b>	<b>Weight lb (kg)</b>
	Hanger hardware kit, 3/8" x 3/4" slotted hex head bolts, lock washers and hex nuts	HK-34-10	10	0.5 (0.2)
	Hanger hardware kit, 3/8" x 1" slotted head bolts lock washers and hex nuts	HK-100-10	10	0.6 (0.3)
Hanger hardware kit, 10mm x 20mm slotted head bolts lock washers and hex nuts	HK-M1020-10	10	0.5 (0.2)	

### Universal Angle Adapters



<p><i>Adapt angled members for securing coax hangers.</i></p>	<p>Application: Coax Support                  Size: 3/4" (19.1mm) holes w/ 3/8" tapped insert                  Design: Adapts hangers to angle members                  Feature: Accepts snap-ins or 3/8" hardware                  Mounts to: Up to 7/8" (22mm) angle members                  Material: Stainless steel                  Includes: Adapters, set bolt, hanger hardware kit, avail. w/ or wo insert                  Order Sep.: Hangers</p>			
		<b>TMS part no.</b>	<b>Quant/pkg.</b>	<b>Weight lb (kg)</b>
Universal angle adapter for snap-ins or 3/8" tapped holes	AA-U	10	4.9 (2.2)	
Angle adapter, large version, with 3/8" threaded hardware	AA-US	10	4.7 (2.1)	

### Angle Adapters



<p><i>Adapt angled members for securing coax hangers using 3/8" threaded hardware.</i></p>	<p>Application: Coax Support                  Size: 3/8" tapped holes                  Design: Adapts hangers to angle members                  Feature: High strength solution                  Mounts to: Up to 7/8" (22mm) angle members                  Material: Stainless steel                  Includes: Adapters, set bolt, hanger hardware kit                  Order Sep.: Hangers</p>			
		<b>TMS part no.</b>	<b>Quant/pkg.</b>	<b>Weight lb (kg)</b>
Angle adapter with 3/8" tapped holes	AA-SL	10	5.4 (2.5)	
Angle adapter with 10 mm tapped holes	AA-SL-M10	10	5.4 (2.5)	

### Stand-Off Adapters



<p><i>Adapt and stand coax off 2" from round members. Unique design easily converts to accommodate snap-in hangers. Round member adapters included unless noted.</i></p>	<p>Application: Coax Support                  Size: 3/8" or 10mm tapped hole                  Design: Adapts hangers to round members                  Feature: Provides 2" (50.8mm) stand-off                  Mounts to: Versions for 1" to 6" (25.4mm to 152.4mm) OD                  Material: Stainless steel                  Includes: Stand-offs, avail. w. or w.o. hose clamps                  Order Sep.: Hangers</p>			
		<b>TMSpartno.</b>	<b>Quant/pkg.</b>	<b>Weightlb(kg)</b>
Universal SST stand-off adapter *	SA-38S	10	3.8 (1.7)	
Universal SST stand-off adapter for 1"-2" OD members**	SA-38S100	10	3.8 (1.7)	
Universal SST stand-off adapter for 2"-3" OD members**	SA-38S200	10	3.8 (1.7)	
Universal SST stand-off adapter for 3"-4" OD members**	SA-38S300	10	4.0 (1.8)	
Universal SST stand-off adapter for 4"-5" OD members**	SA-38S400	10	4.1 (1.9)	
Universal SST stand-off adapter for 5"-6" OD members**	SA-38S500	10	4.4 (2.0)	

\* Round member adapters not included

\*\*Round adapter included