


Hardware Accessories

Mini Coax Support Blocks



Neatly stack coax into space saving bundles. Lower material cost by reducing hardware requirements.

Application: Coax Support
 Size: 1/2" to 1-1/4" coax
 Design: Two-run block hangers
 Feature: Compact coax bundles
 Mounts to: 3/8" or 10mm threaded rod
 Material: Long glass polypropylene
 Includes: Blocks only
 Order Sep.: 3/8" or 10mm mounting hardware kits

	TMS part no.	Quant/pkg.	Weight lb(kg)
Mini coax support block for LMR-600	CB-600T	10	1.2 (0.5)
Mini coax support block for LMR-900	CB-900T	10	1.2 (0.5)
Mini coax support block for LMR-1200	CB-1200T	10	1.2 (0.5)
Mini coax support block for LMR-1700 coax	CB-1700T	10	1.7 (0.8)

Mounting Hardware Kits for Coax Support Blocks and Hanger Clamps



Pre-cut galvanized threaded rod hardware kits for stacking and installing mini coax support blocks.

Application: Coax Support
 Size: 3/8"
 Design: 1, 2, and 3-stack threaded rod kits
 Feature: Stacks coax blocks
 Mounts to: —
 Material: Galv. (3/8") or stainless steel (10mm)
 Includes: Threaded rod and hardware
 Order Sep.: Additional accessories

	TMS part no.	Quant/pkg.	Weight lb (kg)
Hardware kit for LMR-600, 900, 1200 support blocks	HK-SSCB	10	1.8 (0.8)
Hardware kit for LMR-1700 support blocks	HK-SSCB-158	10	1.9 (0.9)
Hardware kit for mounting (2) mini coax support blocks for LMR-600, 900, 1200	HK-DSCB	10	2.3 (1.0)
Hardware kit for mounting (2) mini coax support blocks for LMR-1700	HK-DSCB-158	10	2.5 (1.1)
Hardware kit for mounting (3) mini coax support blocks for LMR-600, 900, 1200	HK-TSCB	10	2.8 (1.3)
Hardware kit for mounting (3) mini coax support blocks for LMR-1700	HK-TSCB-158	10	3.2 (1.5)

Adapter Bracket



Support coax blocks in wall mount applications.

Application: Coax Support
 Size: 7/16" (11.1mm) holes
 Design: Adapts hangers to flat surfaces
 Feature: Compact design
 Mounts to: —
 Material: Stainless steel
 Includes: Bracket
 Order Sep.: Additional accessories

	TMS part no.	Quant/pkg.	Weight lb (kg)
Adaptor bracket	AB-CB	10	4.6 (2.1)





Stainless Steel Adapter Bracket



Adapt angled members for securing coax cables. Unique design easily converts to accommodate snap-in hangers.

Application: Coax Support
 Size: 7/16" (11.1mm) holes
 Design: Adapts hangers to flat surfaces
 Feature: Fits any bolt-on hanger style
 Mounts to: —
 Material: Hot dip galv. steel,
 Includes: Bracket
 Order Sep.: Additional accessories

	TMS part no.	Quant/pkg.	Weight lb (kg)
Universal SST angle adapter	AB-CBH	1	2.3 (1.0)

Butterfly Hangers				
	<i>Butterfly hangers for standard non-snap-in installations.</i>	Application: Coax Support Size: see chart Design: Bolt-on single run hanger Feature: Traditional hanger solution Mounts to: 7/16" (11.1mm) prepunched hole Material: Stainless steel Includes: Hangers and set bolts Order Sep.: Hanger hardware kits & additional accessories Note: Hanger hardware kit not included; order separately	TMS part no.	Quant/pkg. Weight lb (kg)
	Butterfly hanger for LMR-400	BH-S38 NH	10	1.0 (0.5)
	Butterfly hanger for LMR-600	BH-12 NH	10	1.0 (0.5)
	Butterfly hanger for LMR-900	BH-58 NH	10	1.1 (0.5)
	Butterfly hanger for LMR-1200	BH-78 NH	10	1.1 (0.5)
	Butterfly hanger for LMR-1700	BH-114 NH	10	1.4 (0.6)
Standard Hangers				
	<i>Standard hanger for reduced installation time</i>	App.: Coax Support Size: See chart Design: Pre-formed bolt-on single run hanger Feature: Reduced installation time Mounts to: 7/16" (11.1mm) prepunched hole Material: Stainless steel Includes: Hangers and set bolts Order Sep.: Hanger hardware kits & additional accessories Note: Hanger hardware kit not included; order separately	TMS part no.	Quant/pkg. Weight lb (kg)
	Standard hanger for LMR-400	BH-S38 NH	10	0.8 (0.4)
	Standard hanger for LMR-600	BH-S12 NH	10	0.8 (0.4)
	Standard hanger for LMR-1200	BH-S78 NH	10	1.8 (0.8)
	Standard hanger for LMR-1700	BH-S114 NH	10	1.1 (0.5)
Clip Hangers				
	<i>Easy install solution</i>	Application: Coax Support Size: See chart Design: Clip-on single run hanger Feature: Easy-to-install solution Mounts to: 7/16" (11.1mm) prepunched hole Material: Stainless steel Includes: Hangers and set bolts Order Sep.: Hanger hardware kits and additional accessories Note: Hanger hardware kit not included; order separately	TMS part no.	Quant/pkg. Weight lb (kg)
	Clip hanger kit for LMR-600	CH-12 NH	10	0.8 (0.4)
	Clip hanger kit for LMR-1200	CH-78 NH	10	0.8 (0.4)
	Clip hanger kit for LMR-1700	CH-114 NH	10	1.1 (0.5)
Universal Snap-in Hangers				
	<i>Snap-in hangers simplify coax installation by eliminating the need for mounting hardware and installation tools.</i>	Application: Coax Support Size: See chart Design: One-piece hanger solution Feature: Simplifies coax installation Mounts to: 3/4" (19.1mm) holes Material: Stainless steel Includes: Hangers Order Sep.: Additional mounting accessories	TMS part no.	Quant/pkg. Weight lb (kg)
	Universal snap-in hanger for LMR-600	SH-U600T	10	0.7 (0.3)
	Universal snap-in hanger for LMR-900	SH-U900T	10	1.0 (0.5)
	Universal snap-in hanger for LMR-1200	SH-U1200T	10	1.2 (0.5)
	Universal snap-in hanger for LMR-1700	SH-U1700T	10	1.3 (0.6)

Hardware Accessories

Hanger Hardware Kits

	<p><i>Standard, clip and butterfly for flange attachment.</i></p>	<p>Application: Coax Support Size: 3/8" or 10mm Design: Hardware kit for hanger attachment to member Feature: — Mounts to: — Material: Stainless steel Includes: Bolts, nuts, lockwashers Order Sep.: Hangers</p>	<p>TMS part no. Quant/pkg. Weight lb (kg)</p>		
	<p>Hanger hardware kit, 3/8" x 3/4" slotted hex head bolts, lock washers and hex nuts</p>	<p>HK-34-10</p>	<p>10</p>	<p>0.5</p>	<p>(0.2)</p>
	<p>Hanger hardware kit, 3/8" x 1" slotted head bolts lock washers and hex nuts</p>	<p>HK-100-10</p>	<p>10</p>	<p>0.6</p>	<p>(0.3)</p>
	<p>Hanger hardware kit, 10mm x 20mm slotted head bolts lock washers and hex nuts</p>	<p>HK-M1020-10</p>	<p>10</p>	<p>0.5</p>	<p>(0.2)</p>

Universal Angle Adapters

	<p><i>Adapt angled members for securing coax hangers.</i></p>	<p>Application: Coax Support Size: 3/4" (19.1mm) holes w/ 3/8" tapped insert Design: Adapts hangers to angle members Feature: Accepts snap-ins or 3/8" hardware Mounts to: Up to 7/8" (22mm) angle members Material: Stainless steel Includes: Adapters, set bolt, hanger hardware kit, avail. w/ or wo insert Order Sep.: Hangers</p>	<p>TMS part no. Quant/pkg. Weight lb (kg)</p>		
	<p>Universal angle adapter for snap-ins or 3/8" tapped holes</p>	<p>AA-U</p>	<p>10</p>	<p>4.9</p>	<p>(2.2)</p>
	<p>Angle adapter, large version, with 3/8" threaded hardware</p>	<p>AA-US</p>	<p>10</p>	<p>4.7</p>	<p>(2.1)</p>

Angle Adapters

	<p><i>Adapt angled members for securing coax hangers using 3/8" threaded hardware.</i></p>	<p>Application: Coax Support Size: 3/8" tapped holes Design: Adapts hangers to angle members Feature: High strength solution Mounts to: Up to 7/8" (22mm) angle members Material: Stainless steel Includes: Adapters, set bolt, hanger hardware kit Order Sep.: Hangers</p>	<p>TMS part no. Quant/pkg. Weight lb(kg)</p>		
	<p>Angle adapter with 3/8" tapped holes</p>	<p>AA-SL</p>	<p>10</p>	<p>5.4</p>	<p>(2.5)</p>
	<p>Angle adapter with 10 mm tapped holes</p>	<p>AA-SL-M10</p>	<p>10</p>	<p>5.4</p>	<p>(2.5)</p>

Stand-Off Adapters

	<p><i>Adapt and stand coax off 2" from round members. Unique design easily converts to accommodate snap-in hangers. Round member adapters included unless noted.</i></p>	<p>Application: Coax Support Size: 3/8" or 10mm tapped hole Design: Adapts hangers to round members Feature: Provides 2" (50.8mm) stand-off Mounts to: Versions for 1" to 6" (25.4mm to 152.4mm) OD Material: Stainless steel Includes: Stand-offs, avail. w. or w.o. hose clamps Order Sep.: Hangers</p>	<p>TMS part no. Quant/pkg. Weight lb (kg)</p>		
	<p>Universal SST stand-off adapter *</p>	<p>SA-38S</p>	<p>10</p>	<p>3.8</p>	<p>(1.7)</p>
	<p>Universal SST stand-off adapter for 1"-2" OD members**</p>	<p>SA-38S100</p>	<p>10</p>	<p>3.8</p>	<p>(1.7)</p>
	<p>Universal SST stand-off adapter for 2"-3" OD members**</p>	<p>SA-38S200</p>	<p>10</p>	<p>3.8</p>	<p>(1.7)</p>
	<p>Universal SST stand-off adapter for 3"-4" OD members**</p>	<p>SA-38S300</p>	<p>10</p>	<p>4.0</p>	<p>(1.8)</p>
	<p>Universal SST stand-off adapter for 4"-5" OD members**</p>	<p>SA-38S400</p>	<p>10</p>	<p>4.1</p>	<p>(1.9)</p>
	<p>Universal SST stand-off adapter for 5"-6" OD members**</p>	<p>SA-38S500</p>	<p>10</p>	<p>4.4</p>	<p>(2.0)</p>

* Round member adapters not included


**Round adapter included

Snap-In Stand-Off Adapters



<p><i>Adapt and stand coax off 2" from round members to avoid obstructions such as tower leg flanges and cross members</i></p>	<p>Application: Coax Support Size: 3/4" (19.1mm) hole Design: Adapts hangers to round members Feature: Accepts snap-ins Mounts to: Versions for 1" to 6" (25.4mm to 152.4mm) OD Material: Stainless steel Includes: Stand-offs, avail. with or without hose clamps Order Sep.: Snap-ins</p>	<p>TMS part no. Quant/pkg. Weight lb (kg)</p>	
	<p>Snap-In Stand-Off Adapter *</p>	SA-SS	10
<p>Snap-In Stand-Off Adapter for 1-2" (25.4mm-50.8mm) OD members**</p>	SA-SS100	10	3.8 (1.7)
<p>Snap-In Stand-Off Adapter for 2-3" (50.8mm-76.2mm) OD members**</p>	SA-SS200	10	3.9 (1.8)
<p>Snap-In Stand-Off Adapter for 3-4" (76.2mm-101.6mm) OD members**</p>	SA-SS300	10	4.0 (1.8)
<p>Snap-In Stand-Off Adapter for 4-5" (101.6mm-127.0mm) OD members**</p>	SA-SS400	10	4.1 (1.9)
<p>Snap-In Stand-Off Adapter for 5-6" (127.0mm-152.4mm) OD members**</p>	SA-SS500	10	4.1 (1.9)
<p>* Round member adapters must be purchased separately **Round member adapter included</p>			

Mini Cluster Support Bracket



<p><i>Mini Cluster bracket provides compact mounting support for a variety of different hanger types</i></p>	<p>Application: Coax Support Size: 3/4" (19.1mm) and 7/16" (11.1mm) holes Design: Three-run cluster bracket Feature: Compact mounting solution Mounts to: — Material: Hot dip galv. steel Includes: Bracket Order Sep.: Hangers, mounting hardware</p>	<p>TMS part no. Quant/pkg. Weight lb (kg)</p>	
	<p>Mini Cluster Support Bracket</p>	CS-BS	10

Round Member Adapters



<p><i>Adapt round members when securing most hanger styles.</i></p>	<p>Application: Coax Support Size: 3/4" (19.1mm) and 7/16" (11.1mm) holes Design: Three-run cluster bracket Feature: Compact mounting solution Mounts to: — Material: Hot dip galvanized steel Includes: Bracket Order Sep.: Hangers, mounting hardware</p>	<p>TMS part no. Quant/pkg. Weight lb (kg)</p>	
	<p>Round member adapter, 1"-2" OD</p>	RMA-100	10
<p>Round member adapter, 2"-3" OD</p>	RMA-200	10	1.0 (0.5)
<p>Round member adapter, 3"-4" OD</p>	RMA-300	10	1.2 (0.5)
<p>Round member adapter, 4"-5" OD</p>	RMA-400	10	1.3 (0.6)
<p>Round member adapter, 5"-6" OD</p>	RMA-500	10	1.3 (0.6)
<p>Round member adapter, 6"-8" OD</p>	RMA-600	10	1.3 (0.6)